This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

- 1. (Cancelled):
- 2. (Currently Amended): A compound according to Formula I:

$$R^{1}$$
 $O$ 
 $N$ 
 $R^{3}$ 
 $R^{4}$ 

wherein

- R<sup>1</sup> is H or alkyl having 1 to 4 carbon atoms, which is branched or unbranched and which is unsubstituted or substituted one or more times by halogen;
- $R^2$  is alkyl having 1 to 12 carbon atoms, which is branched or unbranched and which is unsubstituted or substituted one or more times by halogen, hydroxy, cyano,  $C_{1^-4}$ -alkoxy, oxo or combinations thereof, and wherein optionally one or more -CH<sub>2</sub>CH<sub>2</sub>- groups is replaced in each case by -CH=CH- or -C=C-,

cycloalkyl having 3 to 10 carbon atoms, which is unsubstituted or substituted one or more times by halogen, hydroxy, oxo, cyano, alkyl having 1 to 4 carbon atoms, alkoxy having 1 to 4 carbon atoms, or combinations thereof,

cycloalkylalkyl having 4 to 16 carbon atoms, which is unsubstituted or substituted in the cycloalkyl portion and/or the alkyl portion one or more times by halogen, oxo, cyano, hydroxy,  $C_{1^-4}$ -alkyl,  $C_{1^-4}$ -alkoxy or combinations thereof,

aryl having 6 to 14 carbon atoms, which is unsubstituted or substituted one or more times by halogen, CF<sub>3</sub>, OCF<sub>3</sub>, alkyl having 1 to 12 carbon atoms, hydroxy, alkoxy having 1 to 12 carbon atoms, nitro, methylenedioxy, ethylenedioxy, cyano, or combinations thereof,

arylalkyl in which the aryl portion has 6 to 14 carbon atoms and the alkyl portion, which is branched or unbranched, has 1 to 5 carbon atoms, which the arylalkyl radical is unsubstituted or is substituted in the aryl portion one or more times by halogen,  $CF_3$ ,  $OCF_3$ , alkyl having 1 to 12 carbon atoms, hydroxy, alkoxy having 1 to 12 carbon atoms, nitro, cyano, methylenedioxy, ethylenedioxy, or combinations thereof, and wherein in the alkyl portion one or more  $-CH_2CH_2$ - groups are each optionally replaced by -CH=CH- or  $-C\equiv C$ -, and one or more  $-CH_2$ - groups are each optionally replaced by -C- or -NH- and/or the alkyl portion is optionally substituted by halogen, oxo, hydroxy, cyano, or combinations thereof, or

a partially unsaturated carbocyclic group having 5 to 14 carbon atoms, which is unsubstituted or substituted one or more times by halogen, alkyl having 1 to 12 carbon atoms, alkoxy having 1 to 12 carbon atoms, hydroxy, nitro, cyano, oxo, or combinations thereof; [[,]]

a heterocyclic group, which is saturated, partially saturated or unsaturated, having 5 to 10 ring atoms in which at least 1 ring atom is a N, O or S atom, which is unsubstituted or substituted one or more times by halogen, hydroxy, aryl, alkyl having 1 to 12 carbon atoms, alkoxy having 1 to 12 carbon atoms, cyano, trifluoromethyl, nitro, oxo, or combinations thereof, or

a heterocycle-alkyl group, wherein the heterocyclic portion is saturated, partially saturated or unsaturated, and has 5 to 10 ring atoms in which at least 1 ring atom is a N, O or S atom, and the alkyl portion is branched or unbranched and has 1 to 5 carbon atoms, the heterocycle alkyl group is

unsubstituted or substituted one or more times in the heterocyclic portion by halogen, OCF<sub>3</sub>, hydroxy, aryl, alkyl having 1 to 12 carbon atoms, alkoxy having 1 to 12 carbon atoms, cyano, trifluoromethyl, nitro, oxo, or combinations thereof, wherein in the alkyl portion one or more CH<sub>2</sub>CH<sub>2</sub>-groups are each optionally replaced by CH=CH-or C=C, and one or more CH<sub>2</sub>-groups are each optionally replaced by O- or NH- and/or the alkyl portion is optionally substituted by halogen, oxo, hydroxy, cyano, or combinations thereof:

## $R^3$ is H,

alkyl having 1 to 8 which is branched or unbranched and which is unsubstituted or substituted one or more times with halogen, cyano, C<sub>1</sub>-4-alkoxy, or combinations thereof,

a partially unsaturated carbocycle-alkyl group wherein the carbocyclic portion has 5 to 14 carbon atoms and the alkyl portion which is branched or unbranched has 1 to 5 carbon atoms, and which is unsubstituted or substituted in the carbocyclic portion one or more times by halogen, alkyl having 1 to 12 carbon atoms, alkoxy having 1 to 12 carbon atoms, nitro, eyano, oxo, or combinations thereof, and the alkyl portion is optionally substituted by halogen,  $C_{4}$ -alkoxy, cyano or combinations thereof,

arylalkyl having 7 to 19 carbon atoms, wherein the aryl portion has 6 to 14 carbon atoms and the alkyl portion, which is branched or unbranched, has 1 to 5 carbon atoms, arylalkyl radical is unsubstituted or substituted, in the aryl portion, one or more times by halogen, trifluoromethyl, CF<sub>3</sub>O, nitro, amino, alkyl having 1 to 12 carbon atoms, alkoxy having 1 to 12 carbon atoms, alkylamino wherein the alkyl group has 1 to 12 carbon atoms, dialkylamino wherein each alkyl group has 1 to 12 carbon atoms and/or substituted in the alkyl portion by halogen, cyano, or methyl, or

is heteroarylalkyl group, wherein the heteroaryl portion may be partially or fully saturated and has 5 to 10 ring atoms in which at least 1 ring atom is a N, O or S atom, the alkyl portion, which is branched or unbranched, has 1 to 5 carbon atoms, the heteroarylalkyl group is unsubstituted or substituted one or more times in the heteroaryl portion by halogen, alkyl having 1 to 12 carbon atoms, alkoxy having 1 to 12 carbon atoms, cyano, trifluoromethyl, CF<sub>3</sub>O, nitro, oxo, amino, alkylamino wherein the alkyl group has 1 to 12 carbon atoms, dialkylamino wherein each alkyl group has 1 to 12 carbon atoms, or combinations thereof and/or substituted in the alkyl portion by halogen, cyano, or methyl or combinations thereof; and

 $R^4$ is aryl having 6 to 14 carbon atoms and which is substituted one or more times by halogen, alkyl having 1 to 12 carbon atoms, alkenyl having 2 to 12 carbon atoms, alkynyl having 2 to 12 carbon atoms, hydroxy, alkoxy having 1 to 12 carbon atoms, alkoxyalkoxy wherein each alkoxy group has 1 to 12 carbon atoms, nitro, methylenedioxy, ethylenedioxy, trifluoromethyl, OCF<sub>3</sub>, amino, aminoalkyl having 1 to 12 carbon atoms, aminoalkoxy having 1 to 12 carbon atoms, dialkylamino wherein each alkyl group has 1 to 12 carbon atoms, hydroxyalkyl having 1 to 12 carbon atoms, hydroxamic acid, pyrrolyl, tetrazole-5-yl, 2(-heterocycle)tetrazole-5-yl, hydroxyalkoxy having 1 to 12 carbon atoms, carboxy, alkyl -O-COwherein the alkyl portion has 1 to 12 carbon atoms, cyano, alkanoyl having 1 to 13 carbon atoms, aroyl having 7 to 15 carbon atoms, alkylthio having 1 to 12 carbon atoms, alkylsulfinyl having 1 to 12 carbon atoms, alkylsulfonyl having 1 to 12 carbon atoms, phenoxy, trialkylsilyloxy wherein each alkyl group has 1 to 12 carbon atoms, R<sup>5</sup>-L-, or combinations thereof; , or

heteroaryl having 5 to 10 ring atoms in which at least 1 ring atom is a heteroatom, which is substituted one or more times by halogen, alkyl having 1 to 12 carbon atoms, hydroxy, alkoxy having 1 to 12 carbon

atoms, alkoxyalkoxy wherein each alkoxy group has 1 to 12 carbon atoms, nitro, methylenedioxy, ethylenedioxy, trifluoromethyl, OCF<sub>3</sub>, amino, aminoalkyl having 1 to 12 carbon atoms, aminoalkoxy having 1 to 12 carbon atoms, dialkylamino wherein each alkyl group has 1 to 12 carbon atoms, hydroxyalkyl having 1 to 12 carbon atoms, hydroxyalkyl having 1 to 12 carbon atoms, carboxy, alkyl OCO wherein the alkyl portion has 1 to 12 carbon atoms, cyano, alkanoyl having 1 to 13 carbon atoms, aroyl having 7 to 15 carbon atoms, alkylthio having 1 to 12 carbon atoms, alkylsulfinyl having 1 to 12 carbon atoms, trialkylsilyloxy wherein each alkyl group has 1 to 12 carbon atoms, R<sup>5</sup> L, or combinations thereof;

 $R^5$  is H.

alkyl having 1 to 8 carbon atoms, which is unsubstituted or substituted one or more times with halogen,  $C_{1^-4}$ -alkyl,  $C_{1^-4}$ -alkoxy, oxo, or combinations thereof,

alkylamino or dialkylamino wherein each alkyl portion has independently 1 to 8 carbon atoms.

a partially unsaturated carbocycle-alkyl group wherein the carbocyclic portion has 5 to 14 carbon atoms and the alkyl portion has 1 to 5 carbon atoms, which is unsubstituted or substituted one or more times by halogen, alkyl having 1 to 12 carbon atoms, alkoxy having 1 to 12 carbon atoms, nitro, cyano, oxo, or combinations thereof,

cycloalkyl having 3 to 10 carbon atoms, which is unsubstituted or substituted one or more times by halogen, hydroxy, oxo, cyano, alkoxy having 1 to 12 carbon atoms, alkyl having 1 to 4 carbon atoms, or combinations thereof,

cycloalkylalkyl having 4 to 16 carbon atoms, which is unsubstituted or substituted in the cycloalkyl portion and/or the alkyl portion one or more times by halogen, oxo, cyano, hydroxy, alkyl having 1 to 12 carbon atoms, alkoxy having 1 to 12 carbon atoms or combinations thereof,

aryl having 6 to 14 carbon atoms and which is unsubstituted or substituted one or more times by halogen, alkyl having 1 to 12 carbon atoms, hydroxy, alkoxy having 1 to 12 carbon atoms, alkoxyalkoxy wherein each alkoxy group has 1 to 12 carbon atoms, nitro, methylenedioxy, ethylenedioxy, trifluoromethyl, amino, aminomethyl, aminoalkyl having 1 to 12 carbon atoms, aminoalkoxy having 1 to 12 carbon atoms, dialkylamino wherein each alkyl group has 1 to 12 carbon atoms, hydroxyalkyl having 1 to 12 carbon atoms, hydroxamic acid, tetrazole-5yl, hydroxyalkoxy having 1 to 12 carbon atoms, carboxy, alkyl -O-COwherein the alkyl portion has 1 to 12 carbon atoms, cyano, alkanoyl having 1 to 13 carbon atoms, aroyl having 7 to 15 carbon atoms, alkylthio having 1 to 12 carbon atoms, alkylsulfinyl having 1 to 12 carbon atoms, alkylsulfonyl having 1 to 12 carbon atoms, phenoxy, cycloalkyl having 3 to 10 carbon atoms, aryl having 6 to 14 carbon atoms which is substituted unsubstituted, heteroaryl having one or two rings and a total number of 5 to 10 ring atoms wherein at least one of the ring atoms is a heteroatom and which is substituted unsubstituted, or combinations thereof, or

arylalkyl having 7 to 19 carbon atoms, wherein the aryl portion has 6 to 14 carbon atoms and the alkyl portion, which is branched or unbranched, has 1 to 5 carbon atoms, arylalkyl radical is unsubstituted or substituted, in the aryl portion, one or more times by halogen, trifluoromethyl, CF<sub>3</sub>O, nitro, amino, alkyl having 1 to 12 carbon atoms, alkoxy having 1 to 12 carbon atoms, amino, alkylamino having 1 to 12 carbon atoms, dialkylamino wherein each alkyl group has 1 to 12 carbon atoms and/or substituted in the alkyl portion by halogen, cyano, or methyl;

a heterocyclic group, which is saturated, partially saturated or unsaturated, having 5 to 10 ring atoms in which at least 1 ring atom is a N, O or S atom, which is unsubstituted or substituted one or more times by halogen, alkyl having 1 to 12 carbon atoms, hydroxy, alkoxy having 1 to 12 carbon atoms, alkoxyalkoxy wherein each alkoxy group has 1 to 12 carbon atoms, nitro, methylenedioxy, ethylenedioxy, trifluoromethyl, amino, aminomethyl, aminoalkyl having 1 to 12 carbon atoms, aminoalkoxy having 1 to 12 carbon atoms, dialkylamino wherein each alkyl group has 1 to 12 carbon atoms, hydroxyalkyl having 1 to 12 carbon atoms, hydroxyalkyl having 1 to 12 carbon atoms, hydroxyalkoxy having 1 to 12 carbon atoms, carboxy, alkyl O CO wherein the alkyl portion has 1 to 12 carbon atoms, cyano, alkanoyl having 1 to 13 carbon atoms, aroyl having 7 to 15 carbon atoms, alkylthio having 1 to 12 carbon atoms, alkylsulfinyl having 1 to 12 carbon atoms, alkylsulfinyl having 1 to 12 carbon atoms, phenoxy, or combinations thereof, or

a heterocycle alkyl group, wherein the heterocyclic portion is saturated, partially saturated or unsaturated, and has 5 to 10 ring atoms in which at least 1 ring atom is a N, O or S atom, and the alkyl portion which is branched or unbranched and has 1 to 5 carbon atoms, the heterocycle alkyl group is unsubstituted or substituted one or more times in the heterocyclic portion by halogen, alkyl having 1 to 12 carbon atoms, alkoxy having 1 to 12 carbon atoms, cyano, trifluoromethyl, CF<sub>3</sub>O, nitro, oxo, amino, alkylamino having 1 to 12 carbon atoms, dialkylamino wherein each alkyl group has 1 to 12 carbon atoms, or combinations thereof and/or substituted in the alkyl portion by halogen, cyano, or methyl or combinations thereof;

L is a single bond or a divalent aliphatic radical having 1 to 8 carbon atoms wherein one or more -CH<sub>2</sub>- groups are each optionally replaced by -O-, -S-, -NR<sup>6</sup>-, -SO<sub>2</sub>NH-, -NHSO<sub>2</sub>-, -SO<sub>2</sub>NR<sup>6</sup>-, -NR<sup>6</sup>SO<sub>2</sub>-, -CO-, -NR<sup>6</sup>CO-, -

CONR<sup>6</sup>-, -NHCONH-, -OCONH, -NHCOO-, -SCONH-, -SCSNH-, or -NHCSNH-; and

 $R^6$  is H,

alkyl having 1 to 8 carbon atoms, which is branched or unbranched and which is unsubstituted or substituted one or more times with halogen, C<sub>1</sub>-4-alkyl, C<sub>1</sub>-4-alkoxy, oxo, or combinations thereof;

arylalkyl having 7 to 19 carbon atoms, wherein the aryl portion has 6 to 14 carbon atoms and the alkyl portion, which is branched or unbranched, has 1 to 5 carbon atoms, arylalkyl radical is unsubstituted or substituted, in the aryl portion, one or more times by halogen, trifluoromethyl, CF<sub>3</sub>O, nitro, amino, alkyl having 1 to 12 carbon atoms, alkoxy having 1 to 12 carbon atoms, alkylamino having 1 to 12 carbon atoms, dialkylamino wherein each alkyl group has 1 to 12 carbon atoms, and/or substituted in the alkyl portion by halogen, cyano, or methyl;

aryl having 6 to 14 carbon atoms and which is unsubstituted or substituted one or more times by halogen, alkyl having 1 to 12 carbon atoms, hydroxy, alkoxy having 1 to 12 carbon atoms, alkoxyalkoxy wherein each alkoxy group has 1 to 12 carbon atoms, nitro, methylenedioxy, ethylenedioxy, trifluoromethyl, amino, aminomethyl, aminoalkyl having 1 to 12 carbon atoms, aminoalkoxy having 1 to 12 carbon atoms, dialkylamino wherein each alkyl group has 1 to 12 carbon atoms, hydroxyalkyl having 1 to 12 carbon atoms, hydroxamic acid, tetrazole-5-yl, hydroxyalkoxy having 1 to 12 carbon atoms, carboxy, alkyl -O-CO-wherein the alkyl portion has 1 to 12 carbon atoms, cyano, alkanoyl having 1 to 13 carbon atoms, aroyl having 7 to 15 carbon atoms, alkylthio having 1 to 12 carbon atoms, alkylsulfinyl having 1 to 12 carbon atoms, or alkylsulfonyl having 1 to 12 carbon atoms;

or a pharmaceutically acceptable salt thereof; with the provisos that:

- (a)  $R^4$  is at least monosubstituted by  $R^5$ -L in which L is a divalent aliphatic radical having 1 to 8 carbon atoms wherein at least one -CH<sub>2</sub>- group is replaced by  $SO_2NR^6$  or -NR<sup>6</sup>SO<sub>2</sub>- in which  $R^6$  is aryl or arylalkyl which in each case is substituted or unsubstituted;
- (b) R<sup>4</sup> is at least monosubstituted by R<sup>5</sup>-L in which L is a divalent aliphatic radical having 1 to 8 carbon atoms wherein at least one -CH<sub>2</sub>- group is replaced by -NR<sup>6</sup>-, -SO<sub>2</sub>NR<sup>6</sup>-, -NR<sup>6</sup>SO<sub>2</sub>-, -NR<sup>6</sup>CO-, or -CONR<sup>6</sup>- and R<sup>6</sup> is arryl or arrylalkyl which in each case is substituted or unsubstituted;
- (c) R<sup>4</sup> is at least monosubstituted by R<sup>5</sup>-L in which R<sup>5</sup> is aryl or a heterocyclic group each being substituted by cycloalkyl, aryl or heteroaryl;
- (d)  $R^4$  is at least monosubstituted by  $R^5$ -L in which L is -SO-, -SO<sub>2</sub>-, -CONR<sup>6</sup>SO<sub>2</sub>-, -SO<sub>2</sub>NR<sup>6</sup>CO-, or -SO<sub>2</sub>NR<sup>6</sup>-, with the further proviso that when  $R^4$  is at least monosubstituted by  $R^5$ -L in which L is  $-SO_2NR^6$ -, then  $R^6$  is other than H; or
  - (e) said compound is selected from
  - 3-Cyclopentyloxy-4-methoxy-N-(3-*tert*-butyloxycarbonylphenyl)-N-(3-pyridylmethyl))-aniline,
  - N-(3,4-Bis-difluoromethoxyphenyl)-N-(3-pyridylmethyl)-4-aminobenzoic acid, N (4 Methoxy 3 (3R) tetrahydrofuranyloxyphenyl) N (3 pyridylmethyl) 4-aminobenzoic acid.
  - N-(4-Methoxy-3-(3R)-tetrahydrofuranyloxyphenyl) N-(5-fluoro-3-pyridylmethyl) 4-aminobenzoic acid,
  - $N\hbox{-}(3\hbox{-}Cyclobutyloxy\hbox{-}4\hbox{-}methoxyphenyl)\hbox{-}N\hbox{-}(3\hbox{-}pyridylmethyl)\hbox{-}4\hbox{-}aminobenzoic acid,}$
  - N-(3,4-Dimethoxyphenyl)-N-(3-pyridylmethyl)-4-aminobenzoic acid,
  - N-(3-Ethoxy-4-methoxyphenyl)-N-(3-pyridylmethyl)-4-aminobenzoic acid,
  - N-(3-Isopropoxy-4-methoxyphenyl)-N-(3-pyridylmethyl)-4-aminobenzoic acid,
  - N-(3-Cyclopropylmethoxy-4-methoxyphenyl)-N-(3-pyridylmethyl)-4-aminobenzoic acid,

N-(4-Methoxy-3-(3R)-tetrahydrofuranyloxyphenyl) N-(5-chloro-3-pyridylmethyl) 3-aminobenzoic acid, N-(3,4-Dimethoxyphenyl)-N-(3-pyridylmethyl)-3-aminobenzoic acid, and pharmaceutically acceptable salts thereof.

- 3. (Previously Presented): A compound according to claim 2, wherein  $R^4$  is at least monosubstituted by  $R^5$ -L in which L is a divalent aliphatic radical having 1 to 8 carbon atoms wherein at least one -CH<sub>2</sub>- group is replaced by -SO<sub>2</sub>NR<sup>6</sup>- or -NR<sup>6</sup>SO<sub>2</sub>- in which  $R^6$  is aryl or arylalkyl which in each case is substituted or unsubstituted.
- 4. (Previously Presented): A compound according to claim 2, wherein  $R^4$  is at least monosubstituted by  $R^5$ -L in which L is a divalent aliphatic radical having 1 to 8 carbon atoms wherein at least one -CH<sub>2</sub>- group is replaced by -NR<sup>6</sup>-, -SO<sub>2</sub>NR<sup>6</sup>-, -NR<sup>6</sup>SO<sub>2</sub>-, -NR<sup>6</sup>CO-, or -CONR<sup>6</sup>- and R<sup>6</sup> is aryl or arylalkyl which in each case is substituted or unsubstituted.
- 5. (Currently Amended): A compound according to claim 2, wherein R<sup>4</sup> is at least monosubstituted by R<sup>5</sup>-L in which R<sup>5</sup> is aryl or a heterocyclic group each being substituted by cycloalkyl, aryl or heteroaryl.
- 6. (Previously Presented): A compound according to claim 2, wherein  $R^4$  is at least monosubstituted by  $R^5$ -L in which L is -SO-, -SO<sub>2</sub>-, -CONR<sup>6</sup>SO<sub>2</sub>-, -SO<sub>2</sub>NR<sup>6</sup>CO-, or -SO<sub>2</sub>NR<sup>6</sup>-, with the further proviso that when  $R^4$  is at least monosubstituted by  $R^5$ -L in which L is -SO<sub>2</sub>NR<sup>6</sup>-, then  $R^6$  is other than H.
- 7. (Currently Amended): A compound according to claim 2, wherein said compound is selected from:

  N-(3,4-Bis-difluoromethoxyphenyl)-N-(3-pyridylmethyl)-4-aminobenzoic acid,

  N (4 Methoxy 3 (3R) tetrahydrofuranyloxyphenyl) N (3 pyridylmethyl) 4

  aminobenzoic acid,

N-(4-Methoxy-3-(3R)-tetrahydrofuranyloxyphenyl)-N-(5-fluoro-3-pyridylmethyl)-4-aminobenzoic acid,

N-(3-Cyclobutyloxy-4-methoxyphenyl)-N-(3-pyridylmethyl)-4-aminobenzoic acid, and pharmaceutically acceptable salts thereof,

wherein compounds that are optically active can be in the form of their separate enantiomers or mixtures thereof, including racemic mixtures.

8.	(Cancelled):	
9.	(Cancelled):	
10.	(Cancelled):	
11.	(Cancelled):	
12.	(Cancelled):	
13.	(Cancelled):	
14.	(Cancelled):	
15.	(Cancelled):	
16.	(Cancelled):	

17.	(Cancelled):	
18.	(Cancelled):	
19.	(Cancelled):	
20.	(Cancelled):	
21.	(Cancelled):	
22.	(Cancelled):	
23.	(Cancelled):	
24.	(Cancelled):	
25.	(Cancelled):	
26.	(Cancelled):	
27.	(Cancelled):	
28.	(Cancelled):	

	29.	(Cancelled):
	30.	(Cancelled):
	31.	(Cancelled):
	32.	(Cancelled):
	33.	(Cancelled):
	34.	(Cancelled):
	35.	(Cancelled):
accord	36.	(Original): A pharmaceutical composition comprising a compound laim 2 and a pharmaceutically acceptable carrier.
compo	37. sition c	(Original): A composition according to claim 36, wherein said ontains 0.1-50 mg of said compound.
	38.	(Cancelled):
	39.	(Cancelled):

40.	(Cancelled):
41.	(Cancelled):
42.	(Cancelled):
43.	(Cancelled):
44.	(Cancelled):
45.	(Cancelled):
46.	(Cancelled):
47.	(Cancelled):
48.	(Cancelled):
49.	(Cancelled):
50.	(Cancelled):

31.	(Original): A pharmaceutical composition comprising a compound
according to	o claim 3 and a pharmaceutically acceptable carrier.
52.	(Original). A composition according to claim 51, wherein said
	(Original): A composition according to claim 51, wherein said
composition	n contains 0.1-50 mg of said compound.
53.	(Cancelled):
55.	(Cancelled).
54.	(Cancelled):
	(0.1111-1-1-1-1)
55.	(Cancelled):
56.	(Cancelled):
57.	(Cancelled):
58.	(Cancelled):
36.	(Cancelled):
59.	(Cancelled):
60.	(Cancelled):
61.	(Cancelled):

	62.	(Cancelled):
	63.	(Cancelled):
	64.	(Cancelled):
	65.	(Cancelled):
accordi	66. ng to cl	(Original): A pharmaceutical composition comprising a compound aim 4 and a pharmaceutically acceptable carrier.
	67. sition co	(Original): A composition according to claim 66, wherein said ontains 0.1-50 mg of said compound.
	68.	(Cancelled):
	69.	(Cancelled):
	70.	(Cancelled):
	71.	(Cancelled):
	72.	(Cancelled):

73.	(Cancelled):
74.	(Cancelled):
75.	(Cancelled):
76.	(Cancelled):
77.	(Cancelled):
78.	(Cancelled):
79.	(Cancelled):
80.	(Cancelled):
81.	(Original): A pharmaceutical composition comprising a compound laim 5 and a pharmaceutically acceptable carrier.
82.	(Original): A composition according to claim 81, wherein said ontains 0.1-50 mg of said compound.
83.	(Cancelled):

84.	(Cancelled):	
85.	(Cancelled):	
86.	(Cancelled):	
87.	(Cancelled):	
88.	(Cancelled):	
89.	(Cancelled):	
90.	(Cancelled):	
91.	(Cancelled):	
92.	(Cancelled):	
93.	(Cancelled):	
94.	(Cancelled):	
95.	(Cancelled	

	96.	(Original): A pharmaceutical composition comprising a compound
accord	ling to c	laim 6 and a pharmaceutically acceptable carrier.
	Ü	
	97.	(Original): A composition according to claim 96, wherein said
compo		ontains 0.1-50 mg of said compound.
compe	obtitoit c	ontains of 50 mg of said compound.
	98.	(Cancelled):
	90.	(Cancened).
	99.	(Cancelled):
	<i>))</i> ,	(Cancened).
	100.	(Cancelled):
	100.	(Cancellea).
	101.	(Cancelled):
	1011	
	102.	(Cancelled):
	103.	(Cancelled):
	104.	(Cancelled):
	105.	(Cancelled):
	106.	(Cancelled):

107.	(Cancelled):
108.	(Cancelled):
109.	(Cancelled):
110.	(Cancelled):
111. according to	(Original): A pharmaceutical composition comprising a compound claim 7 and a pharmaceutically acceptable carrier.
112.	(Original): A composition according to claim 111, wherein said contains 0.1-50 mg of said compound.
113. methoxyphe	(Original): An intermediate compound which is N-(3-hydroxy-4-nyl)-N-(3-pyridylmethyl)-3-aminobenzoic acid.
114.	(Cancelled):
115. methyl or di	(Previously Presented): A compound according to claim 2, wherein $\mathbb{R}^1$ is fluoromethyl.
116. cycloalkyl.	(Previously Presented): A compound according to claim 2, wherein R <sup>2</sup> is
117.	(Previously Presented): A compound according to claim 116, wherein R <sup>2</sup>

is cyclopentyl.

- 118. (Previously Presented): A compound according to claim 2, wherein R<sup>2</sup> is phenyl, methylphenyl, methoxyphenyl, chlorophenyl, phenethyl, phenpropyl, phenbutyl, phenylethenyl, phenoxyethyl, phenoxypropyl, phenoxybutyl, chlorophenylethyl, methoxyphenyl ethyl, chlorophenylethenyl, chlorophenoxyethyl, chlorophenypropyl, methoxyphenbutyl, chlorophenbutyl, nitrophenbutyl, or chlorophenylaminoethyl.
- 119. (Currently Amended): A compound according to claim 2, wherein R<sup>2</sup> is cyclohexenyl, <u>or</u> cyclohexadienyl, <u>or indan-2-yl</u> which in each case is unsubstituted or substituted, <u>particularly</u>.
- 120. (Previously Presented): A compound according to claim 2, wherein R<sup>2</sup> is an alkyl group having 1 to 4 carbon atoms, which is substituted or unsubstituted.
- 121. (Previously Presented): A compound according to claim 2, wherein R<sup>2</sup> is methyl, difluoromethyl, trifluoromethyl, or methoxyethyl.
  - 122. (Cancelled):
  - 123. (Cancelled):
- 124. (Currently Amended): A compound according to claim 2, wherein R<sup>2</sup> is cyclopentyl, tetrahydrofuranyl, CHF<sub>2</sub>, methoxyethyl, cyclopropylmethyl, phenethyl, phenpropyl, phenylethenyl, phenoxyethyl, phenoxybutyl, <u>or</u> phenylaminoethyl, <u>indan-2-yl, pyridylethyl, or pyridylpropyl</u>.
- 125. (Currently Amended): A compound according to claim 2, wherein R<sup>3</sup> is alkyl having 1 to 4 carbon atoms, <u>or an</u> arylalkyl <del>or a heteroarylalkyl</del> group, which in each case is substituted or unsubstituted.

- 126. (Currently Amended): A compound according to claim 125, wherein R<sup>3</sup> is methyl, ethyl, n-propyl, <u>n-butyl</u> n-but, substituted or unsubstituted benzyl, substituted or unsubstituted phenethyl, <u>or</u> substituted or unsubstituted phenpropyl, <u>substituted or unsubstituted pyridylmethyl, substituted or unsubstituted furanylmethyl, substituted or unsubstituted pyrrolylmethyl, substituted or unsubstituted or unsubs</u>
- 127. (Currently Amended): A compound according to claim 125, wherein R<sup>3</sup> is arylalkyl or a heteroarylalkyl group, which in each case is unsubstituted or substituted in the aryl or heteroaryl portion by F, Cl, CH<sub>3</sub>, C<sub>2</sub>H<sub>5</sub>, OCH<sub>3</sub>, or CN.
- 128. (Previously Presented): A compound according to claim 3, wherein  $R^4$  is phenyl which is at least monosubstituted by  $R^5$ -L.
- 129. (Previously Presented): A compound according to claim 6, wherein R<sup>4</sup> is phenyl which is at least monosubstituted by R<sup>5</sup>-L.
- 130. (Currently Amended): A compound according to claim 3, wherein R<sup>4</sup> is phenyl, naphthyl, <u>or</u> biphenyl, <u>furanyl, pyrazinyl, pyrimidinyl, pyridyl, quinolinyl, or isoquinolinyl</u> which is at least monosubstituted by R<sup>5</sup>-L.
- 131. (Currently Amended): A compound according to claim 6, wherein R<sup>4</sup> is phenyl, naphthyl, <u>or</u> biphenyl, <u>furanyl, pyrazinyl, pyrimidinyl, pyridyl, quinolinyl, or isoquinolinyl</u> which is at least monosubstituted by R<sup>5</sup>-L.

## 132. (Cancelled):

- 133. (Previously Presented): A compound according to claim 2, wherein said compound is 3-Cyclopentyloxy-4-methoxy-N-(3-*tert*-butyloxycarbonylphenyl)-N-(3-pyridylmethyl))-aniline, or a pharmaceutically acceptable salt thereof.
- 134. (Previously Presented): A compound according to claim 2, wherein said compound is N-(3,4-Bis-difluoromethoxyphenyl)-N-(3-pyridylmethyl)-4-aminobenzoic acid, or a pharmaceutically acceptable salt thereof.
  - 135. (Cancelled):
  - 136. (Cancelled):
- 137. (Previously Presented): A compound according to claim 2, wherein said compound is N-(3-Cyclobutyloxy-4-methoxyphenyl)-N-(3-pyridylmethyl)-4-aminobenzoic acid, or a pharmaceutically acceptable salt thereof.
- 138. (Previously Presented): A compound according to claim 2, wherein said compound is N-(3,4-Dimethoxyphenyl)-N-(3-pyridylmethyl)-4-aminobenzoic acid, or a pharmaceutically acceptable salt thereof.
- 139. (Previously Presented): A compound according to claim 2, wherein said compound is N-(3-Ethoxy-4-methoxyphenyl)-N-(3-pyridylmethyl)-4-aminobenzoic acid, or a pharmaceutically acceptable salt thereof.
- 140. (Previously Presented): A compound according to claim 2, wherein said compound is N-(3-Isopropoxy-4-methoxyphenyl)-N-(3-pyridylmethyl)-4-aminobenzoic acid, or a pharmaceutically acceptable salt thereof.
- 141. (Previously Presented): A compound according to claim 2, wherein said compound is N-(3-Cyclopropylmethoxy-4-methoxyphenyl)-N-(3-pyridylmethyl)-4-aminobenzoic acid, or a pharmaceutically acceptable salt thereof.

- 142. (Cancelled):
- 143. (Previously Presented): A compound according to claim 2, wherein said compound is N-(3,4-Dimethoxyphenyl)-N-(3-pyridylmethyl)-3-aminobenzoic acid, or a pharmaceutically acceptable salt thereof.